





Table of contents

| ntroduction | 1 |
|--|----------|
| Ordering information and product performance | 2 |
| Marketing support and website content | |
| Warranty | 5 |
| Contact information | <i>6</i> |





Introduction

For the first time Solar Gard customers can enjoy a high-VLT, low-VLR architectural window film.

We are happy to announce the availability of Solar Gard's new ULR window film series, in response to an unmet market need for a Solar Gard non-metallized high performance architectural window film that would provide energy savings and improved comfort. Among its many benefits, ULR window film offers the lowest possible interior and exterior reflectivity of any Solar Gard window film. It is this low-reflective quality that gives the product its name, ULR (Ultra-Low Reflectivity) window film series.

Features and benefits

- Ultra-low reflectivity
- Blocks more than 99% of damaging UVA and UVB rays
- Recommended by the Skin Cancer Foundation
- Industry-leading clarity for unaltered visibility
- Outstanding scratch-resistant coating for long product life
- Warranted against excessive unusual change of color
- Comes in three different shades: 20, 40, and 70
- Has a limited lifetime residential or 12-year commercial warranty
- Color stability
- Low reflection with good TSER
- Spectrally selective





Ordering information

| SKU | VLT and width |
|--------------------|---------------|
| SFLP55005835-48100 | ULR 20 – 48" |
| SF55005835-60100 | ULR 20 – 60" |
| SFLP55005855-48100 | ULR 40 – 48" |
| SF55005855-60100 | ULR 40 – 60" |
| SFLP55005865-48100 | ULR 70 – 48" |
| SF55005865-60100 | ULR 70 - 60" |
| SF55005865-72100 | ULR 70 – 72" |

Product performance

| Product Name | ULR 70 | ULR 70 | ULR 70 | ULR 70 | ULR 40 | ULR 40 | ULR 40 | ULR 40 | ULR 20 | ULR 20 | ULR 20 | ULR 20 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | 1/8" (3mm) | 1/4" (6mm) |
| Window Type | Single Pane | Single Pane | Double Pane | Double Pane | Single Pane | Single Pane | Double Pane | Double Pane | Single Pane | Single Pane | Double Pane | Double Pane |
| Solar Energy Transmittance (%) | 50 | 46 | 42 | 37 | 36 | 33 | 31 | 26 | 30 | 26 | 24 | 20 |
| Total Solar Energy Absorptance (%) | 43 | 48 | 46 | 52 | 58 | 62 | 57 | 63 | 65 | 69 | 65 | 70 |
| Solar Energy Reflectance (%) | 7 | 6 | 12 | 11 | 6 | 5 | 12 | 11 | 5 | 5 | 11 | 10 |
| Visible Light Transmittance (%) | 73 | 72 | 66 | 64 | 41 | 41 | 37 | 36 | 23 | 23 | 21 | 20 |
| Visible Light Reflectance Exterior (%) | 8 | 8 | 15 | 15 | 6 | 6 | 13 | 13 | 5 | 5 | 13 | 12 |
| Visible Light Reflectance Interior (%) | 8 | 8 | 13 | 12 | 6 | 6 | 7 | 7 | 5 | 5 | 6 | 6 |
| Emissivity | .92 | .92 | .92 | .92 | .94 | .94 | .94 | .94 | .92 | .92 | .92 | .92 |
| Winter U-Factor (Btu hr/ft² °F) | 1.08 | 1.07 | .49 | .48 | 1.09 | 1.07 | .49 | .49 | 1.08 | 1.07 | .49 | .48 |
| Winter U-factor (W/m²°C) | 6.14 | 6.05 | 2.79 | 2.75 | 6.18 | 6.08 | 2.80 | 2.76 | 6.15 | 6.05 | 2.79 | 2.75 |
| Shading Coefficient | .73 | .70 | .77 | .72 | .63 | .61 | .73 | .69 | .58 | .56 | .71 | .66 |
| Solar Heat Gain Coefficient | .63 | .60 | .66 | .62 | .54 | .52 | .63 | .59 | .50 | .48 | .61 | .57 |
| Solar Selectivity Index-Luminous Efficacy (VLT/SC) | 1.00 | 1.02 | .86 | .89 | .65 | .66 | .51 | .53 | .40 | .41 | .30 | .31 |
| Light to Solar Heat Gain Factor (VLT/SHGC) | 1.16 | 1.19 | .99 | 1.03 | .76 | .77 | .59 | .61 | .46 | .48 | .34 | .36 |
| Ultraviolet Blocked (%) (300 to 380 nanometers) | >99 | >99 | >99 | >99 | >99 | >99 | >99 | >99 | >99 | >99 | >99 | >99 |
| Total Solar Energy Rejected (%) | 37 | 40 | 34 | 38 | 46 | 48 | 37 | 41 | 50 | 52 | 39 | 43 |
| Solar heat gain reduction (%) | 26 | 26 | 12 | 11 | 36 | 36 | 17 | 16 | 42 | 41 | 19 | 18 |
| Glare reduction (%) | 19 | 19 | 19 | 19 | 54 | 54 | 54 | 54 | 74 | 74 | 74 | 74 |
| Winter heat loss reduction (%) | -4 | -5 | -2 | -2 | -5 | -5 | -2 | -4 | -4 | -5 | -2 | -2 |



Marketing materials and communication support


The following sample pages are now available.

- SK0314ULR70 06/12
- SK0314ULR40 06/12
- SK0314ULR20 06/12



The Film-to-Glass Guide has been updated to include ULR 70, 40 and 20.

PDF0234 09/12



^{*} See Film-to-Glass Application Submittal instructions below.

Note: a PDF is available now for immediate download. Printed copies will be available with all other reprinted support materials in 2013.





Website content

Home

The following two webpages are now live in the product support sections of www.solargard.com/us (under "Commercial" and "Residential").

http://solargard.com/us/Commercial/ULR Window Film

http://solargard.com/us/Residential/ULR Window Film

Residential



Commercial



Energy Savings

Solar Gard Solar Protection

Combat solar heat gain and keep
your business comfortable and
manageable.

Dealer's Corner

About Us

Solar Gard's new ULR window film allows superior visibility for day or night. Additionally, ULR blocks 99% of damaging UV-A and UV-B rays which can be damaging to skin and property. This product is backed by Solar Gard's leading warranty insuring the quality and long life of this film

Solar Success

Find A Dealer

Solar Gard's new ULR window film is a high heat rejection non-metalized film backed by Solar Gard's® leading warranty insuring the quality and long life of this film.

Features and Benefits:

Automotive

- · Blocks more than 99% of damaging UVA and UVB rays
- Recommended by the Skin Cancer Foundation

Warranty

- · Industry-leading clarity for unaltered visibility
- Outstanding scratch-resistant coating for long product life
- Warranted against excessive unusual change of color

URL comes in three different shades, 20, 40, and 70. It also comes with a limited lifetime residential or a 12 year commercial warranty

Performance Results

Performance results were generated from testing 1/8" (3mm) thick clear glass and have been measured, calculated and reported in accordance with ASTM, ASHRAE and AIMCAL standards. Performance results are subject to variations within industry standards.

| | Solar Energy | | Solar Energy Visible Light Ext. Int. | | | Thermal Energy Wtr | | | | UV Light Blocked | | |
|-----------------|--------------|-----------|---------------------------------------|-----------|----|--------------------|----------|-------|-----|---------------------|-----------|----------|
| Film Type | <u>T%</u> | <u>A%</u> | <u>R%</u> | <u>T%</u> | R% | R% | <u>E</u> | U-Val | SC | SHGC | <u>T%</u> | Rejected |
| ULR Window Film | | | | | | | | | | | | |
| ULR 20 | 30 | 65 | 5 | 23 | 5 | 5 | .92 | 1.08 | .58 | .50 | >99 | 50 |
| ULR 70 | 50 | 43 | 7 | 73 | 8 | 8 | .92 | 1.08 | .73 | .63 | >99 | 37 |
| ULR 40 | 36 | 58 | 6 | 41 | 6 | 6 | .94 | 1.09 | .63 | .54 | >99 | 46 |

View All Solar Film Performance Specifications





Warranty

Printed copies of the warranty are now available, with an electronic version on www.solargard.com/us.

Solar Gard Solar Control Films

Limited Residential or Commercial Product Warranty

1. DEALER: Please check as applicable: ☐ Residential use; or ☐ Com ilm type purchased where indicated:

| DEALER: Please initial the box of the f | | | | | | | | |
|---|------------------|--|--|--|--|--|--|--|
| | ULR | | | | | | | |
| Dealer Initial Appropriate Box: | | | | | | | | |
| Residential Warranty Period: | Limited lifetime | | | | | | | |
| Commercial Warranty Period: | 12 years | | | | | | | |
| Warrented against excessive or unusual change of color: | Yes | | | | | | | |

2. Warranty Coverage: Saint-Gobain Solar Gard LLC ("SGSG") warrants all SGSG Solar Gard" Solar Control Filin gisted above, the "Productgi") against adnesser failure, bubbling, caching/crazing, delamination, demetalization, peeling, or other manufacturer's defect; provided and on the condition that the Products were properly sold and installed on an appropriate glass surface by an authorized dealer in accordance with all recommended installation procedures, and subject to the conditions described below in the "Not Covered by Warranty" section 8.

in addition, all Products whose warranty coverage period is Limited Lifetime for residential uses or 12 Years for commercial uses are warranted against excessive or unusual change of color.

excessive or unusuar change or cook.

3. Covered Persons/Companies: This warranty is provided and applies only to: (1) independent window film dealer who purchased the Product from SSSG or from a SGSG distributor, and (2) consumer who originally purchased the Product from a SGSG window film distributor or dealer. This warranty is not transferable. This warranty is in the sole and exclusive warranty provided by SGSG to the persons and entitles described above for the Roducts towards.

Products purchased.

A. Warranty Period: This warranty coverage begins on the date the Product was installed and extends for the period of time applicable for the particular Product as indicated in the applicable box in section 1 above.

5. Limitations: THIS LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY PROVIDED BY SOSS FOR THE PRODUCT PINCHASED. THIS WARRANTY IS GIVEN IN LIEU OF, AND SUPPRISEDES AND REPLACES, ALL OTHER EXPRESS OR INFLIED (FAND SUPPRISEDED AND REPLACES, ALL OTHER EXPRESS OR INFLIED WARRANTY OF MERCHANTABILITY AND ANY WARRANTY OF FINESES FOR A PARTICULAR PLARFOSE.

WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

IN THE ENENT OF ANY DESCRIPTION, OR FAULED OF THE PRODUCT, OR IN
THE EVENT THE PRODUCT FAILS TO REPROBE AS REPRESENTED OR
PRIFECTED, SOSY'S SOLE AND EXCLUSIVE OBLICATION IS TO PROVIDE
REPLACEMENT FILM AND PAY FOR REPLACEMENT LABOR SUBJECT TO THE
LIMITATIONS SET FORTH IN THIS WARRANTY, PROVIDED, THAT IF THE SAME
PRODUCT IS NOT AWAILABLE SGSG MAY REPLACE WITH A SIMILAR
PRODUCT AT ITS SOLE DISCRETION, IF THE ADDITIONAL WARRANTY
COVERAGE IS APPLICABLE, IN THE EVENT OF GLASS BREAKAGE OR
INSULATED GLASS (IG) UNIT SEAL FAILINE, KS SET FORTH IN SECTION 7)
DUE TO THE INSTALLATION OF AN APPROVED FILM TO-GLASS
APPLICATION, SGSG'S SOLE AND EXCLUSIVE OBLIGATION IS TO PAY FOR
REPLACEMENT OF GLASS AND/OR INSULATED GLASS (IG) UNITS SUBJECT

TO THE LIMITATIONS SET FORTH IN THIS WARRANTY; PROVIDED, THAT IF THE SAME PRODUCT IS NOT AVAILABLE SGSG MAY REPLACE WITH A SIMILAR PRODUCT AT ITS SOLE DISCRETION.

SIMILAR PRODUCT AT ITS SOLE DISCRETION.

IN NO EVENT SHALL SSOS BE LIABLE OR RESPONSIBLE FOR ANY OTHER
COSTS, ATTORNEYS FEES, EVENESS, LOSSES OR DAMAGES
REGARDLESS OF WHETHER HENY ARE DEEMED TO BE DIRECT, SPECIAL,
CONSCIUENTIAL OR INCIDENTAL) THAT ARE IN ANY WAY RELATED TO
THE PRODUCT OR THE FAILURE OF THE PRODUCT TO PERFORM AS
REPRESENTED OR EXPECTED AND WHETHER ARISING IN CONTRACT,
WARRAMY, NEGLIGENCE, STRICT PRODUCTS LIABILITY FOR ANY WARRAMTY,
LOSS OR DAMAGE OTHER THAN AS EXPRESSLY STATED IN THE LIMITED
WARRAMY, SOSS IS NOT LIABLE FOR ANY LOSSES OR DAMAGES
RELATED TO CRINYOURISE GLASS BREAKAGES. RELATED TO OR INVOLVING GLASS BREAKAGE.

RELATED TO CH INVOLVING GLASS BREAKAGE.

SOME STATES DO NOT ALLOW MINITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.
SOME STATES DO NOT ALLOW EXCLISION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU
SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

SSGS will provide replacement Product and reasonable labor charges not to exceed the percentage of the amount of the original invoice, equal to the percentage of Product replaced. For purposes of this warranty, the original invoice amount includes the price of the Product and installation labor paid at the time of the initial installation.

the time of the initial installation.

SGG's total lability, whether for breach of contract, warranty, negligence, strict products liability, or commission of any other tort, violation of any statute, regulation, or ordinance, or otherwise, is limited to the purchase price of the particular Product sold under this warranty as stated on the original invoice. SGGG's total lability under the Limited two (2) year Glass Breakage warranty as as the timited two (2) year insulated Glass (60) Unit Seal Failure warranty (as set forth in section 7) is subject to a combined warranty claim limit of \$500 on a per-window basis; and there is a deductible of \$25 per window to be paid by consumer.

6. CUSTOMER AND DEALER PLEASE NOTE: The information below must be completed by the dealer (and the customer) at the time of installation of

be completed by the dealer (and the customer) at the time of installation of the Product in order to make a warranty claim at a later date. PLEASE PRINT CLEARLY. WARRANTIES THAT ARE NOT LEGIBLE AND/ORD DO NOT PROVIDE COMPLETE INFORMATION MAY DELAY PROCESSING OF WARRANTY CLAIMS AND/OR RESULT IN THEIR DRINAL.

| A CUSTOMER INFORMATION | | | | | | | | | | | |
|--|-----------------------------|--------------------------------|----------------------|------------------------------------|----------------------------------|---|------------------------------------|------|--|--|--|
| Name/Company name: | | Address: | | | | | | | | | |
| Title: | City: | | | Statu: | Zip x | | | | | | |
| B DEALER AND INSTALLER IN | | | | | | | | | | | |
| Name/Company name: | | | Address: | | | | | | | | |
| Telephone number: | | | Ob: | | | State: 7hr | | | | | |
| | | | | | | | | | | | |
| Name of installer (and ID number, if applications) | sble): | | | Date of | nstallation: | | | | | | |
| C PRODUCT INSTALLATION IN | FORMATION | | | | | | | | | | |
| | | | Clear single pane | Clear insulated glass (IG) unit | Tinted/reflective single pane | Tinted/reflective insulated glass (IG) unit | Low-E insulated glass (IG) unit | Othe | | | |
| North film type: | \$q ft: | Roll #: | ⊔ | Ш | Ц | | ш | | | | |
| South film type: | \$9 ft | Roll #: | _ ⊔ | ш | Ш | Ш | Ш | ш | | | |
| East film type: | \$q ft | Roll #: | _ ⊔ | ш | ш | ш | ш | ш | | | |
| West film type: | \$q ft | Roll #: | ⊔ | ш | ш | ш | ш | ш | | | |
| Misc. film type: | | | _ ⊔ | ш | Ц | ш | ш | Ц | | | |
| Was the film automatically pre-approved for if not, was a Film-to-Glass Application Che if Yes, please insert Film-to-Glass Tracking | cklist (Catalog SK0322) sui | mitted and written approval re | | | | | | | | | |
| D INVOICE AMOUNT | | | | | | | | | | | |
| Product amount: | | I hereby scknowledge to | hat I have read t | he terms of this v | varranty, and I agr | ee to the terms a | nd conditions of th | His | | | |
| Labor: | | warranty. I acknowledge | | | | | | | | | |
| Subtotal: | _ | | Date: | | | | | | | | |
| Sales txx: | Dealer signature: | Dealer signature: Date: | | | | | | | | | |
| Total: | | Retain this completed d | locument with p | roof of purchase I | n your records. | | | | | | |
| | | | | | | | | | | | |





Contact information

- Please contact your local Sales Rep or Service Center at 877 273 4364 to order or with product questions.
- For questions on or assistance with local marketing, please email <u>dealermarketing@solargard.com</u>.

